



FLUID MOVE MENT

PRODUCT
CATALOGUE
2020



▼ FEATURED PRODUCT:

▼ **CONDOR.**

TTI LIQUID LOCKER ANTI-SURGE BAFFLE BALLS

Why insist on having TTi Liquid Lockers installed in your tank?

6 reasons to consider:

1. Helps to significantly reduce liquid surge effect - keep your load safer
2. Complies with load restraint guide performance standards
3. Suitable for use with most tank types - poly, steel, fiberglass, aluminium etc
4. Food grade quality - suitable for potable water
5. Compatible with a wide range of liquid types - water, spraying chemicals, diesel, liquid fertilisers etc.
6. Simple and easy to install - Liquid Locker balls are supplied in 2 x halves, ready to "push-n-click" for rapid assembly prior to inserting through the tank lid

TTi LIQUID LOCKER ANTI-SURGE BAFFLE BALLS

REQUIREMENT

1 x TTi Liquid Locker anti-surge baffle ball for every 33 litres of tank capacity.

EXAMPLE INSTALLATION

2000 litre tank requires 60 x TTi Liquid Locker anti-surge baffle balls.

FEATURES

- Irregular shape allows balls to interlock
- No rust, lightweight and durable
- Low liquid displacement
- Significantly reduces fluid surge movement for improved load stability during transit
- Food grade quality material, suitable for potable water
- Complies with load restraint guide performance standards

INSTALLATION

- Simple to install
- Supplied in two halves
- Requires only a quick click to assemble
- Inserts easily through tank lid opening

APPLICATIONS

Suitable for use with most tanks - poly, steel, fibreglass, aluminium etc.

Note:

Order code 131.ARB355F for factory installed TTi Liquid Lockers



Code	Size	Qty required	Example 1 1000 litre tank	Example 2 2000 litre tank	Example 3 15,000 litre tank
131.ARB355	380 mm diameter	1 x TTi Liquid Locker ball per 33 litres	30 x TTi Liquid Locker balls required	60 x TTi Liquid Locker balls required	454 x TTi Liquid Locker balls required